



SPECSHEET | Tug / Guard / Utility Vessel

Eems Wrestler

SPECSHEET

General information

Type:	Tug / Guard / Utility Vessel
Year build:	1990
Class:	RINA - Tug, HULL, MACH, Unrestricted navigation
Flag / POR:	The Netherlands / Delfzijl
IMO:	8843549
MMSI:	245199000
Call sign:	PDSC
Bollard pull:	32,0 t

Main Dimensions

Length o.a:	39,50 m
Beam o.a:	10,52 m
Summer draft:	3,45 m (max.)
Gross tonnage:	399
Nett tonnage:	119
LBP:	35,75 mtr

Deck Space / Equipment

Free Deck Space:	abt. 80 m ²
EUR-pallet capacity:	50 + 10 optional
Container capacity:	1 x 20' + 3 x 10'
Deck crane:	Effer type DECO 80T/25 Max reach 12,92 m Lifting capacity 50 kN at max reach

Propulsion and Propeller

Main engines:	Caterpillar 2x 8M32C
Propeller:	1 x CPP LIPS - left turning 4 bladed - diameter 2200 mm Steering kort nozzle make LIPS, type 19A

SPECSHEET

Nautical Equipment

Compass:	1 x CASSENS & PLATH REFLECTA 1 FIBERLINE 1 Gyrocompass ANSCHUETZ GYROSTAR
Accessories:	1 master compass, 1 steering repeater / 1 digital repeater
Speedometer:	Doppler log JRX model JLN-203S
Depth sounder:	Echo sounder SIMRAD ED 162
Velocity meter:	Wind direct: WALKER XMD-1
Wind speed:	WALKERS XMS
Radio level gauge:	RAYTHEON / APELCO
Signal horn:	Membrane air whistle KOCKUMS type M75-270
Ships clock:	ZOLLNER type 350
Spotlights:	2 x MP. SEEMATZ type x5351

Installation FIFI / Salvage

FIFI Installation:	2 x fifi pumps STORK 750 m ³ /hr - 18 bar 2 foam concentrate pumps STORK 25 m ³ /hr, 20 bar Foam concentrate tank 10.000 L 3 ALCO monitors each with foam mixers GNW 200 1 mast monitor type AKD 8000/4000 of 8000 l/min at 18 bar with water 90 m reach 2 bridges monitors type AKD 7000/3500 of 7000 l/min at 19 bar, with water 80 m reach Spray system around the vessel: 24 nozzles type S 45 l/min at 8 bar Deck conn. on fifi pumps X DN 65 water + foam Deck conn. on fifi pumps X DN100 water + foam
Salvage instal.:	Salvage pump SIHI 350 m ³ /h - 7 bar Deck connections: pressure: 6 x DSP/DN100

SPECSHEET

Towage Equipment

Winch:	Brusselle Marine Industries type HSL 80 20 tons at 0-19 m/min 8 tons at 0-43.5 m/min Holding power at 72T Max allowable statical power = 80 ton
Towing hook:	Brusselle Marine Industries type HH 42/75 Hydraulic lockable 75 ts
Bridle winch:	Brusselle Marine Industries type HBL 12 10 tons on 0-34 m/min / at standstill 12 ts At automatic brake 75 ton
Bridle block:	7m tons (yards supply)
Capstan:	Brusselle Marine Industries type K32 10 ton at 15 m/min - 5 ton at 30 m/min

Other Equipment

Anchor:	2 anchors 570 kg
Chain:	Anchor chain diam. 26 m quality U2
Anchor winch:	Brusselle Marine Industries type A47A 2 WARDILL K 52 chain stoppers
Rescue boat:	Harding - Palfinger FRSQ600 6,00 x 2,30 x 0,50 m - built 2016 Motor Siyard 140 hp diesel + water jet
Accommodation:	10 people in total incl. crew (4 x 1 p cabin, 3 x 2 p cabin)
Communication:	Telephone, Sat phone, Email

EEMS Wrestler



Scan QR for
current location



Want to know more?

GET IN TOUCH

+31 (0)20 3080 899

info@dutchmarinecontractors.com

www.dutchmarinecontractors.com

ONE COURSE FOR EVERY DIRECTION

Details of the equipment offered by DMC is done in good faith and believed to be correct but cannot be guaranteed.